Message

From: Lin, Yu-Sheng [Lin.Yu-Sheng@epa.gov]

Sent: 11/20/2018 6:07:54 PM

To: Bahadori, Tina [Bahadori.Tina@epa.gov]; Bussard, David [Bussard.David@epa.gov]; Thayer, Kris

[thayer.kris@epa.gov]; Schlosser, Paul [Schlosser.Paul@epa.gov]; White, Paul [White.Paul@epa.gov]; Wright, Michael [Wright.Michael@epa.gov]; Bateson, Thomas [Bateson.Thomas@epa.gov]; Vandenberg, John [Vandenberg.John@epa.gov]; Ramasamy, Santhini [Ramasamy.Santhini@epa.gov]; Morozov, Viktor

[Morozov.Viktor@epa.gov]; Brown, James [Brown.James@epa.gov]

CC: Garcia, Kelly [garcia.kelly@epa.gov]

Subject: RE: PBPK models for Manganese discussion (Updated with materials)

Hi Tina and All

This is the response to your earlier question and David's question, not for the summary of meeting notes. I did not have additional comments about the notes.

Ex. 5 Deliberative Process (DP)

Happy Thanksgiving.

Regards

Yu-Sheng

From: Bahadori, Tina

Sent: Tuesday, November 20, 2018 12:25 PM

To: Lin, Yu-Sheng < Lin. Yu-Sheng@epa.gov>; Bussard, David < Bussard. David@epa.gov>; Thayer, Kris

<thayer.kris@epa.gov>; Schlosser, Paul <Schlosser.Paul@epa.gov>; White, Paul <White.Paul@epa.gov>; Wright, Michael

<Wright.Michael@epa.gov>; Bateson, Thomas <Bateson.Thomas@epa.gov>; Vandenberg, John

<Vandenberg.John@epa.gov>; Ramasamy, Santhini <Ramasamy.Santhini@epa.gov>; Morozov, Viktor

<Morozov.Viktor@epa.gov>; Brown, James <Brown.James@epa.gov>

Cc: Garcia, Kelly <garcia.kelly@epa.gov>

Subject: RE: PBPK models for Manganese discussion (Updated with materials)

Hi Yu-Sheng,

Ex. 5 Deliberative Process (DP)

Tina

From: Lin, Yu-Sheng

Sent: Tuesday, November 20, 2018 12:13 PM

To: Bussard, David <Bussard.David@epa.gov>; Bahadori, Tina <Bahadori,Tina@epa.gov>; Thayer, Kris

<thayer.kris@epa.gov>; Schlosser, Paul <Schlosser.Paul@epa.gov>; White, Paul <White.Paul@epa.gov>; Wright, Michael

<Wright.Michael@epa.gov>; Bateson, Thomas <Bateson.Thomas@epa.gov>; Vandenberg, John

<VandenbergJohn@epa.gov>; Ramasamy, Santhini <Ramasamy.Santhini@epa.gov>; Morozov, Viktor

<Morozov.Viktor@epa.gov>; Brown, James <Brown.James@epa.gov>

Cc: Garcia, Kelly <garcia.kelly@epa.gov>

Subject: RE: PBPK models for Manganese discussion (Updated with materials)

Ex. 5 Deliberative Process (DP)

Regards,

Yu-Sheng

TABLE 3

Mean (± SEM) Tissue Manganese Concentrations (µg Mn/g Tissue Wet Weight) in Young Monkeys following

Subchronic Exposure to Either Air or MnSO4

	Nominal MnSO ₄ concentration (mg Mn/m ³)			
	Air	0.06	8.3	1.5
Olfactory tissues				
Olfactory epithelium"	0.42 ± 0.01	1.22 ± 0.15*	2.96 ± 0.46*	7.10 ± 2.01*
Olfactory bulb	0.31 ± 0.01	0.77 ± 0.04*	1.36 ± 0.15*	2.40 ± 0.18°
Olfactory tract	0.30 ± 0.06	0.43 ± 0.02	0.61 ± 0.05*	1.12 ± 0.08°
Olfactory cortex	0.19 ± 0.004	0.27 ± 0.02°	0.31 ± 0.01*	0.42 ± 0.01°
Brain				
Globus paliidus"	0.48 ± 0.04	0.80 ± 0.04*	1.28 ± 0.15*	2.94 ± 0.23°
Putanen	0.36 ± 0.01	0.58 ± 0.04°	0.75 ± 0.05°	1.31 ± 0.14
Caudate	0.34 ± 0.02	0.47 ± 0.04	0.69 ± 0.03*	1.72 ± 0.10°
White matter	0.17 ± 0.01	0.25 ± 0.01*	0.39 ± 0.04*	$0.87 \pm 0.08^{\circ}$
Frontal cortex	0.25 ± 0.03	0.29 ± 0.02	0.29 ± 0.01	0.47 ± 0.02°
Cerebellum	0.44 ± 0.01	0.62 ± 0.02*	0.70 ± 0.04*	1.10 ± 0.11
Pitoitary	0.84 ± 0.12	1.53 ± 0.25	2.43 ± 0.13*	6.19 ± 0.61°
Trigeminal nerve	0.17 ± 0.05	0.17 ± 0.01	0.21 ± 0.01	$0.42 \pm 0.08^{\circ}$
Organs				
Femur	0.13 ± 0.02	0.11 ± 0.01	0.13 ± 0.03	0.20 ± 0.03
Hean	0.16 ± 0.03	0.33 ± 0.03*	0.49 ± 0.03*	$0.62 \pm 0.05^{\circ}$
Kidney	1.14 ± 0.12	1.43 ± 0.05	1.86 ± 0.14*	2.61 ± 0.30°
Liver	2.49 ± 0.09	2.91 ± 0.18	3.17 ± 0.20	$3.52 \pm 0.45^{\circ}$
Lung	0.15 ± 0.03	0.18 ± 0.01	0.25 ± 0.02*	$0.33 \pm 0.04^{\circ}$
Pancreas	1.59 ± 0.11	1.72 ± 0.09	2.34 ± 0.11*	2.95 ± 0.24°
Skeletal muscle"	0.15 ± 0.03	0.12 ± 0.03	0.18 ± 0.02	0.58 ± 0.19°
Parietal bones	0.08 ± 0.04	0.05 ± 0.02	0.13 ± 0.06	0.25 ± 0.04
Testis	0.26 ± 0.03	0.35 ± 0.03	0.40 ± 0.05	0.39 ± 0.07
Floids				
Bik"	0.89 ± 0.22	1.65 ± 0.31	3.78 ± 0.34*	7.60 ± 1.68°
Bloom	0.010 ± 0.001	0.015 ± 0.002	0.022 ± 0.003*	0.026 ± 0.00
Unine"	0.000 ± 0.000	0.001 ± 0.000	0.005 ± 0.003*	0.005 ± 0.00
Group size (a)	6	6	4	4

----- Estimation of minimum airborne Mn to cause significant increase in brain Mn (Dorman 2006 Monkey data) ------

The goal: To estimate airborne Mn at or above which the corresponding brain Mn will arise significantly higher than background Mn (e.g., due to dietary Mn) using backward calculation. This method doesn't use any PK model.

Methods:

The following are the logic/steps:

- (1) Assume the relationship of airborne Mn with Mn in Globus Pallidus is linear between lowest two airborne levels (Air where Mn=0 and 0.06 mg/m3) (see circled graph from our Appendix B, Table 3 is from Dorman 2006, monkey data).
- (2) Then I estimated the minimum levels of Mn Globus Pallidus (0.606 mg Mn/g), which is statistically different from background Mn in Globus Pallidus (0.48 mg Mn/g). The sample size is 6 for each group and standard error of mean is the same (0.04) for both as you can see in Dorman 2006. Thus, I also assume it is 0.04 mg/g for estimated 0.606 mg/g. I used GraphPad (GraphPad QuickCalcs: t test calculator)

(3) Then I used Excel and the data from lowest two airborne levels (airborne Mn = 0 and 0.06 mg/m3) and corresponding Globus Pallidus (0.48 and 0.8 mg Mn/g), respectively to do backward calculation and estimate what airborne Mn level can cause 0.606 mg Mn/g). The answer would be about 0.0236 mg/m3.

With the adjustment of uncertainty factor of 100 (10 for population variability and 10 for data limitation/uncertainty), it will bring down to 0.000236 mg/m3 (that is in the range of our RfD estimate)

The value (0.000236 mg/m3) could become even smaller if the sample size is bigger (> 6 monkeys per group).

Of note, they also mention that there is no significant difference in sensitivity analysis between MnO2 and MnSO4

- Sensitivity Analysis in acsiXtreme
- · Each parameter analysed separately
- Dietary intake varied around 3 mg/day
- Air concentrations were fixed at values of 1, 0.2 and 0.0002 mg/m³
- Target tissues concentrations were estimated in blood, the globus pallidus and the olfactory bulb
- Two different starting combinations of fractional deposition in lung, respiratory nasal cavity and head were used corresponding to:
 - MnO₂ density of 5 g/cm², MMAD of 6, GSD of 3.4
 - MnSO₄ density of 2.95 g/cm², MMAD of 2, GSD of 1.5
- Analyses show little difference in sensitivity based on differences in chemical structure
- Using the MnO₂ additional values were run to find the air concentration where changes occurred

From: Bussard, David

Sent: Tuesday, November 20, 2018 10:07 AM

To: Bahadori, Tina Thayer, Kris Thayer, Kris <a href="mailto:thayer.kris@epa.go

<Morozov.Viktor@epa.gov>; Brown, James <Brown.James@epa.gov>

Cc: Garcia, Kelly <garcia.kelly@epa.gov>

Subject: RE: PBPK models for Manganese discussion (Updated with materials)

Ex. 5 Deliberative Process (DP)

David

From: Bahadori, Tina

Sent: Tuesday, November 20, 2018 6:42 AM

To: Thayer, Kris <thayer.kris@epa.gov>; Schlosser, Paul <Schlosser.Paul@epa.gov>; White, Paul

<<u>White.Paul@epa.gov</u>>; Lin, Yu-Sheng <<u>Lin.Yu-Sheng@epa.gov</u>>; Wright, Michael <<u>Wright.Michael@epa.gov</u>>;

Bateson, Thomas Bussard, David Sateson, Thomas@epa.gov; Bussard, David

<<u>Bussard.David@epa.gov</u>>; Ramasamy, Santhini <<u>Ramasamy.Santhini@epa.gov</u>>; Morozov, Viktor

<<u>Morozov.Viktor@epa.gov</u>>; Brown, James <<u>Brown.James@epa.gov</u>>

Cc: Garcia, Kelly < garcia.kelly@epa.gov>

Subject: RE: PBPK models for Manganese discussion (Updated with materials)

Thanks Kris. I added some comments to your notes. Mainly I suggested:

Ex. 5 Deliberative Process (DP)

Т.

From: Thayer, Kris

Sent: Tuesday, November 20, 2018 1:31 AM

To: Garcia, Kelly <garcia.kelly@epa.gov>; Schlosser, Paul <Schlosser.Paul@epa.gov>; White, Paul <\White.Paul@epa.gov>; Lin, Yu-Sheng@epa.gov>; Wright, Michael <\Wright.Michael@epa.gov>; Bateson, Thomas <Bateson.Thomas@epa.gov>; Vandenberg, John <\Vandenberg, John@epa.gov>; Bussard, David <\Bussard.David@epa.gov>; Ramasamy, Santhini <\Ramasamy.Santhini@epa.gov>; Morozov, Viktor <\Morozov.Viktor@epa.gov>; Bahadori, Tina <\Bahadori.Tina@epa.gov>; Lavoie, Emma <\Lavoie.Emma@epa.gov> Subject: RE: PBPK models for Manganese discussion (Updated with materials)

I wanted to get some feedback on this meeting summary that would be posted on the IRIS site before posting...and I guess we should share for quick review as a courtesy with other EPA attendees who aren't part of the core team. Apologies if I missed anyone – this list was culled from recipients of the meeting invite.

Summary of Meeting Action Items

Event Title: Manganese (Mn) Physiologically based pharmacokinetic (PBPK) Modeling Updates

Date: November 20, 2018 Time: 9:00 PM – 12:00 PM Keywords: IRIS, Manganese

Attendees: THIS IS STOLEN FOR CHLOROPRENE and is only a partial, Kris has Kelly to update Harvey Clewell - Ramboll Tina Bahadori – US, EPA, NCEA Tom Bateson – US, EPA, NCEA David Bussard – US, EPA, NCEA Yu-Sheng Lin– US, EPA, NCEA Viktor Morozov– US, EPA, NCEA Paul Schlosser – US, EPA, NCEA Santhini Ramasamy– US, EPA, NCEA Kris Thayer – US, EPA, NCEA John Vandenberg – US, EPA, NCEA

Summary of meeting activities and next steps:

----Original Appointment----

Mike Wright- US, EPA, NCEA

From: Garcia, Kelly

Sent: Tuesday, October 30, 2018 10:47 AM

To: Garcia, Kelly; Schlosser, Paul; Thayer, Kris; Brown, James; Boyes, William; Jarabek, Annie; White, Paul; Hoyer,

Marion; Lin, Yu-Sheng; Wright, Michael; Bateson, Thomas; Vandenberg, John Ex. 6 Personal Privacy (PP)
Ramasamy, Santhini

Cc: Morozov, Viktor; Bussard, David; rgentry@ramboll.com; cvanlandingham@ramboll.com; Kenyon, Elaina;

Cook, Rich; Sopata, Joe; Smith, Darcie

Subject: PBPK models for Manganese discussion (Updated with materials)

When: Friday, November 16, 2018 9:00 AM-12:00 PM (UTC-05:00) Eastern Time (US & Canada).

Where: DCRoomRRB51109-1

Good morning,

Paul Schlosser has requested that I hold this time for a meeting between EPA and the team developing PBPK models for Manganese. Please find the agenda and logistics below.

Agenda

- 1. Welcome from Kris Thayer, U.S. EPA
- 2. EPA Quality Assurance Project Plan (QAPP) for PBPK Models, Paul Schlosser, U.S. EPA
- 3. Background on Mn PBPK models, Mel Andersen, private consultant
- 4. New work on Mn PBPK models, Mel Andersen and colleagues
 - a. Adding drinking water as a route of entry
 - b. Developing a model with rapid tissue binding/dissociation rate constants
 - c. Sensitivity analysis for PBPK models

MAAting	A MICTICC
Meeting	しといいしつ
	U

Rooms: DC 51109-1 (5th floor fishbowl); RTP B-249

Call in number Ex. 6 Personal Privacy (PP)

PEx. 6 Personal Privacy (PP)

Adobe Connect webinar: Ex. 6 Personal Privacy (PP)